ELSEVIER

Brain Research 775 (1997) 254–255

BRAIN RESEARCH

Author Index

Adams, B., Lee, M., Fahnestock, M. and Racine, R.J.
Long-term potentiation trains induce mossy fiber sprouting (775) 193
Airey, J.A., see Ouyang, Y. (775) 52
Albin, R., see Bazzett, T. (775) 229

Battaglia, G., see Li, Q. (775) 225
Bazzett, T., Geiger, A., Coppola, B. and Albin, R.
The neuronal NOS inhibitor L-MIN, but not 7-NINA, reduces neurotoxic effects of chronic intrastriatal administration of quinolinic acid (775) 229
Beattie, D.T., see Clayton, J.S. (775) 74
Ben-Ari, Y., see Mahler, M. (775) 63
Bertaglia, A., see Cervo, L. (775) 30
Błaszczyk, M., see Konopacki, J. (775) 91
Boire, D., see Théoret, H. (775) 203
Brown, V.J., see Ward, N.M. (775) 81

Capani, F., Loidl, F., Lopez-Costa, J.J., Selvin-Testa, A. and Saavedra, J.P.
Ultrastructural changes in nitric oxide synthase immunoreactivity in the brain of rats subjected to perinatal asphyxia: neuroprotective effects of cold treatment (775) 11
Carlen, P.L., see Watson, P.L. (775) 134
Cervo, L., Mukherjee, S., Bertaglia, A. and Samanin, R.
Protein kinases A and C are involved in the mechanisms underlying consolidation of cocaine place conditioning (775) 30
Chan, S.-O., Peng, D. and Chiu, F.-C.
Heterogeneous expression of neurofilament proteins in forebrain and cerebellum during development: clinical implications for spinocerebellar ataxia (775) 107
Chiu, F.-C., see Chan, S.-O. (775) 107
Clayton, J.S., Gaskin, P.J. and Beattie, D.T.
Attenuation of Fos-like immunoreactivity in the trigeminal nucleus caudalis following trigeminovascular activation in the anaesthetised guinea-pig (775) 74
Coppola, B., see Bazzett, T. (775) 229
Cueva-Rolón, R., see Durán, I. (775) 1

Deerinck, T.J., see Ouyang, Y. (775) 52
Doutheil, J., Gissel, C., Oschlies, U., Hossmann, K.-A. and Paschen, W.
Relation of neuronal endoplasmic reticulum calcium homeostasis to ribosomal aggregation and protein synthesis: implications for stress-induced suppression of protein synthesis (775) 43
Durán, I., Rojas-Piloni, J.G. and Cueva-Rolón, R.
Facilitation and inhibition of the urethrogenital reflex in spinal cord-transected rats (775) 1

Eckersdorf, B., see Konopacki, J. (775) 91
Ekblad, E., see Moller, K. (775) 166
Ellisman, M.H., see Ouyang, Y. (775) 52

Fahnestock, M., see Adams, B. (775) 193
Fahrenkrug, J., see Kristensen, B. (775) 99
Fahrenkrug, J., see Moller, K. (775) 156
Fahrenkrug, J., see Moller, K. (775) 166
Flood, J.F., Uezu, K. and Morley, J.E.
The cortical neuropeptide, cortistatin-14, impairs post-training memory processing (775) 250

Gaskin, P.J., see Clayton, J.S. (775) 74
Geiger, A., see Bazzett, T. (775) 229
Georg, B., see Kristensen, B. (775) 99
Gissel, C., see Doutheil, J. (775) 43
Gołębiewski, H., see Konopacki, J. (775) 91
Grabowski, R., see Konopacki, J. (775) 91
Grattan, D.R. and Selmanoff, M.
Sex differences in the activity of γ-aminobutyric acidergic neurons in the rat hypothalamus (775) 244
Graupe, P., see Vern, B.A. (775) 233

Hannibal, J., see Moller, K. (775) 156
Hannibal, J., see Moller, K. (775) 166
Hashimoto, M., see Takahashi, M. (775) 253
Herbin, M., see Théoret, H. (775) 203
Hill, W.D., see Tompkins, M.M. (775) 24
Hossmann, K.-A., see Doutheil, J. (775) 43

Jassar, B.S., Ostashewski, P.M. and Jhamandas, J.H.
$GABA_A$ receptor modulation by protein tyrosine kinase in the rat diagonal band of Broca (775) 127
Jhamandas, J.H., see Jassar, B.S. (775) 127
Jin, G.Z., see Wu, J. (775) 214
Juel, V.C., see Vern, B.A. (775) 233

Kakiuchi, T., see Unterwald, E.M. (775) 183
Kanje, M., see Moller, K. (775) 156
Kanje, M., see Moller, K. (775) 166
Katsura, M., see Shimosato, K. (775) 198
Kishi, T., see Yasui, Y. (775) 219
Konopacki, J., Gołębiewski, H., Eckersdorf, B., Błaszczyk, M. and Grabowski, R.
Theta-like activity in hippocampal formation slices: the effect of strong disinhibition of $GABA_A$ and $GABA_B$ receptors (775) 91
Kosugi, T., see Unterwald, E.M. (775) 183
Kreek, M.J., see Unterwald, E.M. (775) 183
Kristensen, B., Georg, B. and Fahrenkrug, J.
Cholinergic regulation of VIP gene expression in human neuroblastoma cells (775) 99

LaGuardia, J., see Vern, B.A. (775) 233
LaViolette, S.R., see Mathur, A. (775) 144
Lee, M., see Adams, B. (775) 193
Leheta, B.J., see Vern, B.A. (775) 233
Li, Q., Muma, N.A., Battaglia, G. and Van de Kar, L.D.
Fluoxetine gradually increases [^{125}I]DOI-labelled 5-$HT_{2A/2C}$ receptors in the hypothalamus without changing the levels of G_q- and G_{11}-proteins (775) 225
Loidl, F., see Capani, F. (775) 11
Lopez-Costa, J.J., see Capani, F. (775) 11
Lucas, J.H., see Rosenberg, L.J. (775) 209

Mahler, M., Ben-Ari, Y. and Represa, A.
Differential expression of fibronectin, tenascin-C and NCAMs in cultured hippocampal astrocytes activated by kainate, bacterial lipopolysaccharide or basic fibroblast growth factor (775) 63
Martone, M.E., see Ouyang, Y. (775) 52
Marumoto, N., see Murakami, N. (775) 240
Mathur, A., Shandarin, A., LaViolette, S.R., Parker, J. and Yeomans, J.S.
Locomotion and stereotypy induced by scopolamine: contributions of muscarinic receptors near the pedunculopontine tegmental nucleus (775) 144
McCall, R.B.
Trigeminal ganglion elicited increases in nucleus trigeminal caudalis blood flow: a novel migraine model (775) 189
Mirnajafi-Zadeh, J., see Pourgholami, M.H. (775) 37
Moller, K., Reimer, M., Ekblad, E., Hannibal, J., Fahrenkrug, J., Kanje, M. and Sundler, F.
The effects of axotomy and preganglionic denervation on the expression of pituitary adenylate cyclase activating peptide (PACAP), galanin and PACAP type 1 receptors in the rat superior cervical ganglion (775) 166
Moller, K., Reimer, M., Hannibal, J., Fahrenkrug, J., Sundler, F. and Kanje, M.

ELSEVIER

Brain Research 775 (1997) 254–255

BRAIN RESEARCH

Author Index

Adams, B., Lee, M., Fahnestock, M. and Racine, R.J.
Long-term potentiation trains induce mossy fiber sprouting (775) 193
Airey, J.A., see Ouyang, Y. (775) 52
Albin, R., see Bazzett, T. (775) 229

Battaglia, G., see Li, Q. (775) 225
Bazzett, T., Geiger, A., Coppola, B. and Albin, R.
The neuronal NOS inhibitor L-MIN, but not 7-NINA, reduces neurotoxic effects of chronic intrastriatal administration of quinolinic acid (775) 229
Beattie, D.T., see Clayton, J.S. (775) 74
Ben-Ari, Y., see Mahler, M. (775) 63
Bertaglia, A., see Cervo, L. (775) 30
Błaszczyk, M., see Konopacki, J. (775) 91
Boire, D., see Théoret, H. (775) 203
Brown, V.J., see Ward, N.M. (775) 81

Capani, F., Loidl, F., Lopez-Costa, J.J., Selvin-Testa, A. and Saavedra, J.P.
Ultrastructural changes in nitric oxide synthase immunoreactivity in the brain of rats subjected to perinatal asphyxia: neuroprotective effects of cold treatment (775) 11
Carlen, P.L., see Watson, P.L. (775) 134
Cervo, L., Mukherjee, S., Bertaglia, A. and Samanin, R.
Protein kinases A and C are involved in the mechanisms underlying consolidation of cocaine place conditioning (775) 30
Chan, S.-O., Peng, D. and Chiu, F.-C.
Heterogeneous expression of neurofilament proteins in forebrain and cerebellum during development: clinical implications for spinocerebellar ataxia (775) 107
Chiu, F.-C., see Chan, S.-O. (775) 107
Clayton, J.S., Gaskin, P.J. and Beattie, D.T.
Attenuation of Fos-like immunoreactivity in the trigeminal nucleus caudalis following trigeminovascular activation in the anaesthetised guinea-pig (775) 74
Coppola, B., see Bazzett, T. (775) 229
Cueva-Rolón, R., see Durán, I. (775) 1

Deerinck, T.J., see Ouyang, Y. (775) 52
Doutheil, J., Gissel, C., Oschlies, U., Hossmann, K.-A. and Paschen, W.
Relation of neuronal endoplasmic reticulum calcium homeostasis to ribosomal aggregation and protein synthesis: implications for stress-induced suppression of protein synthesis (775) 43
Durán, I., Rojas-Piloni, J.G. and Cueva-Rolón, R.
Facilitation and inhibition of the urethrogenital reflex in spinal cord-transected rats (775) 1

Eckersdorf, B., see Konopacki, J. (775) 91
Ekblad, E., see Moller, K. (775) 166
Ellisman, M.H., see Ouyang, Y. (775) 52

Fahnestock, M., see Adams, B. (775) 193
Fahrenkrug, J., see Kristensen, B. (775) 99
Fahrenkrug, J., see Moller, K. (775) 156
Fahrenkrug, J., see Moller, K. (775) 166
Flood, J.F., Uezu, K. and Morley, J.E.
The cortical neuropeptide, cortistatin-14, impairs post-training memory processing (775) 250

Gaskin, P.J., see Clayton, J.S. (775) 74
Geiger, A., see Bazzett, T. (775) 229
Georg, B., see Kristensen, B. (775) 99
Gissel, C., see Doutheil, J. (775) 43
Gołębiewski, H., see Konopacki, J. (775) 91
Grabowski, R., see Konopacki, J. (775) 91
Grattan, D.R. and Selmanoff, M.
Sex differences in the activity of γ-aminobutyric acidergic neurons in the rat hypothalamus (775) 244
Graupe, P., see Vern, B.A. (775) 233

Hannibal, J., see Moller, K. (775) 156
Hannibal, J., see Moller, K. (775) 166
Hashimoto, M., see Takahashi, M. (775) 253
Herbin, M., see Théoret, H. (775) 203
Hill, W.D., see Tompkins, M.M. (775) 24
Hossmann, K.-A., see Doutheil, J. (775) 43

Jassar, B.S., Ostashewski, P.M. and Jhamandas, J.H.
$GABA_A$ receptor modulation by protein tyrosine kinase in the rat diagonal band of Broca (775) 127
Jhamandas, J.H., see Jassar, B.S. (775) 127
Jin, G.Z., see Wu, J. (775) 214
Juel, V.C., see Vern, B.A. (775) 233

Kakiuchi, T., see Unterwald, E.M. (775) 183
Kanje, M., see Moller, K. (775) 156
Kanje, M., see Moller, K. (775) 166
Katsura, M., see Shimosato, K. (775) 198
Kishi, T., see Yasui, Y. (775) 219
Konopacki, J., Gołębiewski, H., Eckersdorf, B., Błaszczyk, M. and Grabowski, R.
Theta-like activity in hippocampal formation slices: the effect of strong disinhibition of $GABA_A$ and $GABA_B$ receptors (775) 91
Kosugi, T., see Unterwald, E.M. (775) 183
Kreek, M.J., see Unterwald, E.M. (775) 183
Kristensen, B., Georg, B. and Fahrenkrug, J.
Cholinergic regulation of VIP gene expression in human neuroblastoma cells (775) 99

LaGuardia, J., see Vern, B.A. (775) 233
LaViolette, S.R., see Mathur, A. (775) 144
Lee, M., see Adams, B. (775) 193
Leheta, B.J., see Vern, B.A. (775) 233
Li, Q., Muma, N.A., Battaglia, G. and Van de Kar, L.D.
Fluoxetine gradually increases [^{125}I]DOI-labelled 5-$HT_{2A/2C}$ receptors in the hypothalamus without changing the levels of G_q- and G_{11}-proteins (775) 225
Loidl, F., see Capani, F. (775) 11
Lopez-Costa, J.J., see Capani, F. (775) 11
Lucas, J.H., see Rosenberg, L.J. (775) 209

Mahler, M., Ben-Ari, Y. and Represa, A.
Differential expression of fibronectin, tenascin-C and NCAMs in cultured hippocampal astrocytes activated by kainate, bacterial lipopolysaccharide or basic fibroblast growth factor (775) 63
Martone, M.E., see Ouyang, Y. (775) 52
Marumoto, N., see Murakami, N. (775) 240
Mathur, A., Shandarin, A., LaViolette, S.R., Parker, J. and Yeomans, J.S.
Locomotion and stereotypy induced by scopolamine: contributions of muscarinic receptors near the pedunculopontine tegmental nucleus (775) 144
McCall, R.B.
Trigeminal ganglion elicited increases in nucleus trigeminal caudalis blood flow: a novel migraine model (775) 189
Mirnajafi-Zadeh, J., see Pourgholami, M.H. (775) 37
Moller, K., Reimer, M., Ekblad, E., Hannibal, J., Fahrenkrug, J., Kanje, M. and Sundler, F.
The effects of axotomy and preganglionic denervation on the expression of pituitary adenylate cyclase activating peptide (PACAP), galanin and PACAP type 1 receptors in the rat superior cervical ganglion (775) 166
Moller, K., Reimer, M., Hannibal, J., Fahrenkrug, J., Sundler, F. and Kanje, M.

Pituitary adenylate cyclase-activating peptide (PACAP) and PACAP type 1 receptor expression in regenerating adult mouse and rat superior cervical ganglia in vitro (775) 156
Morley, J.E., see Flood, J.F. (775) 250
Mukherjee, S., see Cervo, L. (775) 30
Muma, N.A., see Li, Q. (775) 225
Murakami, N., Marumoto, N., Nakahara, K. and Murakami, T.
Daily injections of melatonin entrain the circadian activity rhythms of nocturnal rats but not diurnal chipmunks (775) 240
Murakami, T., see Murakami, N. (775) 240

Nakahara, K., see Murakami, N. (775) 240
Nishiyama, S., see Unterwald, E.M. (775) 183

Ohkuma, S., see Shimosato, K. (775) 198
Ono, K., see Yasui, Y. (775) 219
Oschlies, U., see Doutheil, J. (775) 43
Ostashewski, P.M., see Jassar, B.S. (775) 127
Ouyang, Y., Martone, M.E., Deerinck, T.J., Airey, J.A., Sutko, J.L. and Ellisman, M.H.
Differential distribution and subcellular localization of ryanodine receptor isoforms in the chicken cerebellum during development (775) 52

Palizvan, M.R., see Pourgholami, M.H. (775) 37
Parker, J., see Mathur, A. (775) 144
Paschen, W., see Doutheil, J. (775) 43
Peng, D., see Chan, S.-O. (775) 107
Pourgholami, M.H., Rostampour, M., Mirnajafi-Zadeh, J. and Palizvan, M.R.
Intra-amygdala infusion of 2-chloroadenosine suppresses amygdala-kindled seizures (775) 37
Ptito, M., see Théoret, H. (775) 203

Racine, R.J., see Adams, B. (775) 193
Rattan, A.K., see Tejwani, G.A. (775) 119
Reimer, M., see Moller, K. (775) 156
Reimer, M., see Moller, K. (775) 166
Represa, A., see Mahler, M. (775) 63
Rojas-Piloni, J.G., see Durán, I. (775) 1
Rosenberg, L.J. and Lucas, J.H.
The effects of ciliary neurotrophic factor on murine spinal cord neurons subjected to dendrite transection injury (775) 209
Rostampour, M., see Pourgholami, M.H. (775) 37

Saavedra, J.P., see Capani, F. (775) 11
Samanin, R., see Cervo, L. (775) 30
Schuette, W.H., see Vern, B.A. (775) 233
Selmanoff, M., see Grattan, D.R. (775) 244
Selvin-Testa, A., see Capani, F. (775) 11
Shandarin, A., see Mathur, A. (775) 144
Shimosato, K., Watanabe, S., Katsura, M. and Ohkuma, S.
Role of cerebral spermidine in the development of sensitization to convulsant activity of cocaine and lidocaine (775) 198
Sundler, F., see Moller, K. (775) 156
Sundler, F., see Moller, K. (775) 166
Sutko, J.L., see Ouyang, Y. (775) 52

Takahashi, M. and Hashimoto, M.
Lowering extracellular Na^+ concentration causes NMDA receptor-mediated neuronal death in cultured rat hippocampal slices [Brain Research 735 (1996) 1–8] (775) 253
Tejwani, G.A. and Rattan, A.K.
Met-enkephalin alteration in the rat during chronic injection of morphine and/or midazolam (775) 119
Théoret, H., Herbin, M., Boire, D. and Ptito, M.
Transneuronal retrograde degeneration of retinal ganglion cells following cerebral hemispherectomy in cats (775) 203
Tompkins, M.M. and Hill, W.D.
Contribution of somal Lewy bodies to neuronal death (775) 24
Tsukada, H., see Unterwald, E.M. (775) 183
Tsumori, T., see Yasui, Y. (775) 219

Uezu, K., see Flood, J.F. (775) 250
Unterwald, E.M., Tsukada, H., Kakiuchi, T., Kosugi, T., Nishiyama, S. and Kreek, M.J.
Use of positron emission tomography to measure the effects of nalmefene on D_1 and D_2 dopamine receptors in rat brain (775) 183

Van de Kar, L.D., see Li, Q. (775) 225
Vern, B.A., Leheta, B.J., Juel, V.C., LaGuardia, J., Graupe, P. and Schuette, W.H.
Interhemispheric synchrony of slow oscillations of cortical blood volume and cytochrome aa_3 redox state in unanesthetized rabbits (775) 233

Ward, N.M. and Brown, V.J.
Deficits in response initiation, but not attention, following excitotoxic lesions of posterior parietal cortex in the rat (775) 81
Watanabe, S., see Shimosato, K. (775) 198
Watson, P.L., Weiner, J.L. and Carlen, P.L.
Effects of variations in hippocampal slice preparation protocol on the electrophysiological stability, epileptogenicity and graded hypoxia responses of CA1 neurons (775) 134
Weiner, J.L., see Watson, P.L. (775) 134
Wu, J. and Jin, G.Z.
Tetrahydroberberine blocks membrane K^+ channels underlying its inhibition of intracellular message-mediated outward currents in acutely dissociated CA1 neurons from rat hippocampus (775) 214

Yasui, Y., Tsumori, T., Ono, K. and Kishi, T.
Nigral axon terminals are in contact with parvicellular reticular neurons which project to the motor trigeminal nucleus in the rat (775) 219
Yeomans, J.S., see Mathur, A. (775) 144